

Attorney's Docket 061069-0284982  
Client Reference: SPO-2477



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:  
TAKAYUKI SUZUKI ET AL.

Confirmation Number: 7654

Application No.: 10/059,145

Group Art Unit: 2613

Filed: January 31, 2002

Examiner: Lee

For: TV OBSERVATION SYSTEM FOR ENDOSCOPES

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

EXTENSION OF TIME

The proceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply. Applicant petitions for a 3 months extension of time under 37 C.F.R. 1.136.

FEES


The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	25	-	25	= 0 x \$ 18.00	= \$ 0.00
INDEP.	4	-	4	= 0 x \$ 88.00	= \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM				+ \$ 300.00	= \$ 0.00
TOTAL ADDITIONAL CLAIM FEE					\$ 0.00
EXTENSION OF TIME FEE					\$ 1020.00
GRAND TOTAL					\$ 1020.00

FEE PAYMENT


Authorization is hereby made to charge the amount of \$1020.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: December 21, 2004  
PILLSBURY WINTHROP LLP  
P.O. Box 10500  
McLean, VA 22102  
202. 775.9832

  
HENRY J. DALEY  
Reg. No. 42459

12/22/2004 SSESHE1 00000013 033975 10059145

02 FC:1253 1020.00 DA



Attorney Docket: 061069-0284982

Client Reference: SPO-2477

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:  
SUZUKI ET AL.

Confirmation Number: 7654

Application No.: 10/059,145

Group Art Unit: 2613

Filed: January 31, 2002

Examiner: Lee

Title: TV OBSERVATION SYSTEM FOR ENDOSCOPES

AMENDMENT

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Please amend the above-identified Application as follows: